


A proposed algorithm for the diagnosis and management of iron-deficiency anemia in CKD patients



References: • Referred from Omara et al., Diabetes Spectrum. 2008;21(1):12-19: Adapted with permission from the American College of Clinical Pharmacy from Stamatakis MK: Chronic kidney disease. In Pharmacotherapy Self-Assessment Program. 4th ed. Nephrology Module. Mueller BA, Bertch KE, Dunsworth TS, Fagan SC, Hayney MS, O'Connell MB, et. al., Eds. Kansas City, Mo., American College of Clinical Pharmacy, 2003 • Lamb, NHSGGC Guidelines. Kidney Diseases. Anaemia in children and young people with chronic kidney disease. Reviewed on 12 April, 2022 • The life chances of young people in Scotland: evidence review. Published: 3 July, 2017. ISBN 9781788510721 CBC: Complete Blood Count CHR: Reticulocyte Haemoglobin CKD: Chronic Kidney Disease ESA: Erythropoiesis Stimulating Agent Hb: Haemoglobin HD: Haemodialysis IV: Intravenous PD: Peritoneal Dialysis PO: By mouth RBC: Red Blood Cell TSAT: Transferrin Saturation MCV: Mean Corpuscular Volume eGFR: Estimated Glomerular Filtration Rate